




## TERMSERIES Relay with 16A Contacts

TERMSERIES Relay Modules – complete modules consisting of a relay and a base with AC/DC/UC coils, available in different versions:

- With screw and tension-clamp connection
- AgNi contact, optionally with hard gold-plated contacts
- 1 and 2 COs (Form C contacts)
- Available multiple-voltage input: 24...230 V UC
- With various protective circuits in the input (free-wheel diode, RC element)
- Illuminated ejection lever

**New!**



**Special Price from \$15.00**

Catalog #	Description	Regular Price	Special Price
1479680000	TRS 24VDC 1CO 16A	\$19.40 ea.	\$15.00 ea.
1479730000	TRS 120VUC 1CO 16A	\$24.00 ea.	\$18.00 ea.
1479770000	TRS 24-230VUC 1CO 16A	\$35.50 ea.	\$28.00 ea.

### QUOTATION #Q4-2016

This number must appear on purchase order to receive special prices.

Valid from October 1st until December 31st, 2016

# Q-Specials 2016

4th Quarter



**Special Price from \$3.50**

## MultiMark Terminals and Wire Markers


Benefits of the MultiMark:

- Compatible with Weidmüller terminal blocks
- Firm hold and durable printing
- Continuous strips save installation time
- Easy mounting thanks to an innovative composite material
- Space for multi-line printing

Tags and markers below only fit on the MultiMark Printer - THM MMP. See page 3 for details.

Catalog #	Description	Regular Price	Special Price
2007110000	DEK 5/5 MM WS	\$5.50 per 100	\$3.50 per 100
2007120000	DEK 5/6 MM WS	\$5.50 per 100	\$3.50 per 100
2007130000	DEK 5/8 MM WS	\$5.50 per 100	\$3.50 per 100
2007150000	WS 8/5 MM WS	\$8.00 per 100	\$4.40 per 100
2007190000	WS 12/5 MM WS	\$8.00 per 100	\$4.40 per 100
2007200000	WS 12/6 MM WS	\$8.00 per 100	\$4.40 per 100
2005490000	TM-I 20 MM WS	\$14.60 per 100	\$8.00 per 100
2005530000	TM-I 30 MM WS	\$16.00 per 100	\$8.80 per 100
2005320000	SFX 9/24 MM WS	\$48.00 per 100	\$26.40 per 100
2005340000	SFX 11/60 MM WS	\$53.40 per 100	\$29.40 per 100

**New!**



Weidmüller Canada Infoline: 1-800-268-4080

Weidmüller Canada Fax: 1-877-300-5635

support@weidmuller.ca ISO 9001:2008 Registered

For an electronic copy of this Q-Special:

[http://www.weidmuller.ca/q-specials\\_ca](http://www.weidmuller.ca/q-specials_ca)



ISO 9001:2008  
10011561 QM08

# Q-Specials

**Special Price from \$35.00**



## Push-In Technology HDC Kits

Hood, housing, male and female inserts and cable gland in a kit: one single part number.

Field tested Push-In technology for reliable connections. Solid or ferruled wires can be inserted by simply pushing them into the clamp. A small 2.5mm screwdriver opens the clamp to remove and also insert stranded wires. Bulkhead housing for 10, 16 and 24 poles with side or top entry hoods (PG 16 for 10 poles, PG 21 for 16 and 24 poles).

- CSA / UL approved for 600V AC/DC, 16A per pole

Catalog #	Description	Regular Price	Special Price
1027680000	HDC-KIT HE-P 10.110 Side Entry	\$67.00 ea.	\$35.00 ea.
1061730000	HDC-KIT HE-P 10.111 Top Entry	\$67.00 ea.	\$35.00 ea.
1027640000	HDC-KIT HE-P 16.120 Side Entry	\$77.30 ea.	\$40.00 ea.
1061750000	HDC-KIT HE-P 16.121 Top Entry	\$77.30 ea.	\$40.00 ea.
1061780000	HDC-KIT HE-P 24.130 Side Entry	\$87.60 ea.	\$47.50 ea.
1061800000	HDC-KIT HE-P 24.131 Top Entry	\$87.60 ea.	\$47.50 ea.

**Special Price from \$22.00**



## Cable Cutters

Cutting without deformation of copper or aluminium conductors

- KT 8: up to 8mm  $\varnothing$ , 16mm<sup>2</sup> / 6 AWG
- KT 12: up to 12mm  $\varnothing$ , 35mm<sup>2</sup> / 2 AWG
- KT 22: up to 22mm  $\varnothing$ , 95mm<sup>2</sup> / 3/0 AWG
- Cutting profile for different cable sizes optimizes the quality of the cut for smaller cross-sections to ease ferrule installation
- Not suitable for steel wires, steel-armoured cables, aluminium alloys and hard-drawn copper conductors!

Catalog #	Description	Regular Price	Special Price
9002650000	KT 8 CABLE CUTTER	\$56.00 ea.	\$22.00 ea.
9002660000	KT 12 CABLE CUTTER	\$50.40 ea.	\$26.00 ea.
1157830000	KT 22 CABLE CUTTER	\$103.00 ea.	\$55.00 ea.

**Special Price from \$148.00**

**New!**



## Overvoltage Surge Protection and Monitoring

### VARITECTOR PU II UL Series

- SPD according to UL 1449 Ed.4
- Installation-ready modules specifically for North American mains systems
- Higher SCCR of 200 kA

- Pluggable arrester
- Insert can be rotated through 180°
- Coded voltage level
- Versions for Single Phase, 3 Phase - Delta or WYE mains



### VARITECTOR LOGGER 30

To protect your equipment and systems against damage from surge voltage, it is advisable to know how much load your protective elements are subjected to.

VARITECTOR LOGGER 30 registers current pulses that exceed a certain strength, which are discharged by your surge protection devices through the PE conductor. This reliably measures the load of your protective elements.

Catalog #	Description	Regular Price	Special Price
2025980000	VPU II 2W+N 120/240V	\$245.20 ea.	\$148.00 ea.
2025520000	VPU II 3W WYE 120V	\$365.00 ea.	\$220.00 ea.
2026360000	VPU II 4W+G WYE 120V	\$490.00 ea.	\$295.00 ea.
2025580000	VPU II 3WDA L-G 240V	\$365.00 ea.	\$220.00 ea.
2025600000	VPU II 3WDA L-G 480V	\$428.40 ea.	\$250.00 ea.
1428780000	VARITECTOR LOGGER 30	\$453.20 ea.	\$380.00 ea.

**Special Price from \$5.20**



## Swivel Head and Angled Tip Screwdrivers

Swivel Head Screwdriver is efficient, convenient and ergonomic!

Eliminate discomfort and blisters to the palm of the hand due to the spinning top.

- Slotted screwdriver with swivel head for ease of use
- 60mm long shank
- 3.5mm wide and 0.6mm thick blade
- Ideal for 2.5 and 4mm<sup>2</sup> screw clamp terminals

This special Angled Tip Screwdriver is specifically designed to be used with our screwless terminals of the Z and P Series. Compared to its straight counterpart, it provides a clearer view of the wire entry port for these blocks where the wire and clamp opening holes are on the same plane.

Its 3.0mm wide tip is ideal for opening tension clamp and Push-In terminals as small as 2.5mm<sup>2</sup>

Catalog #	Description	Regular Price	Special Price
9918110000	SD 0,6x3,5x60 pico SWIVEL HEAD	\$11.30 ea.	\$5.20 ea.
1323880000	SD TO 0.6X3.0 ANGLED TIP	\$13.10 ea.	\$8.90 ea.

### HELP US CONSERVE!!!

If you would prefer an electronic copy, contact: [marketing@weidmuller.ca](mailto:marketing@weidmuller.ca)

**CONDITIONS:** Prices valid from October 1, 2016 to December 31, 2016. Orders must be received by Weidmuller by this date. Orders must be sent to an authorized Weidmuller distributor. Orders must reference quotation number Q4-2016. Please note that all prices (Regular Price and Special Price) are suggested pricing only.

# MultiMark

## All-in-one marking system for the entire cabinet

**New!**

The MultiMark printer marking system consists of the compact and modular THM MultiMark thermal transfer printer and an innovative line of reel formatted MultiMark markers to fit onto modular terminal blocks, wire and cable, and equipment.

The THM MMP is a thermal transfer printer with a sturdy, modular construction. Its key advantage is in the processing of continuous materials, fabric and polyester labels, shrink sleeves and PVC labels. Features label printing with optional cutting/perforation. The integrated cutting and perforating options allows the division of the continuous material into any length – this makes installation easier when cutting and finding the identification areas. The device is very simple to operate thanks to Weidmüller's interfacing software M-Print® PRO and intuitive touch display.

### THM MMP printer

All-rounder THM MMP: the printer handles marking jobs that would otherwise need to be done by several different devices.



### Benefits with MultiMark

- A printer for all jobs
- Ideal for small and medium print volumes
- Virtually maintenance-free thanks to thermal transfer technology
- Excellent readability (resolution: 300 dpi)
- Flexibility provided by modular perforation and cutting unit
- The constant pressure roller can be changed in 30 seconds
- High output, from 250 Dekafix markers/min.

Snap-on terminal markers are printed using a separate print contact pressure roller, which can be changed in just 30 seconds. Another plus: the device is very easy to operate thanks to an intuitive touch display and clear status indicators – in 22 languages. The compact design and low weight of 3.5 kg also ensures that the THM MMP really can be used anywhere, e.g. as a mobile printer for your on-site jobs.

Terminals Tags snap securely into place for all Weidmüller terminal blocks. With a marking system for terminal markers you expect the markers to be printed quickly and installed just as fast. Our new line of WS and DEKAFIX MultiMark markers also have a high resistance to shock and vibration. MultiMark terminal markers are made of an innovative composite of two material components. The hard base contour of the marker snaps securely into the connector. The elastic surface material makes the marker easy to mount across a long run of terminals.

This specially punched material enables the strips to be stretched to accommodate the slight variations in spacing that tends to add up with long terminal block configurations. Another advantage is the excellent printability of the surface material that guarantees durable and wear-resistant labeling. A print resolution of 300 dpi also produces an easy to read script.



Terminal Markers



Cable Jacket Markers



Equipment Markers



Conductor Markers

### Printer

Catalog No.	Type	Description
2430920000	THM MMP	Included: power cable type E+F, UK power cord, US power cord, USB cable, 114mm ribbon core, print cylinder for connector markers, M-Print® PRO software on DVD, RIBBON MM 110/360 SW, RIBBON MM-TB 25/360 SW

### Ink Ribbons

Catalog No.	Type	Colour	Width (mm)	Length (mm)
2005080000	RIBBON MM 80/360 SW	Black	80	360,000
2005070000	RIBBON MM 110/360 SW	Black	110	360,000
2005090000	RIBBON MM-TB 25/360 SW	Black	25	360,000



# Maintenance and Cloud Service

Efficient and secure machine maintenance  
u-link makes remote maintenance easier and accelerates service processes

New!



More  
Performance.  
Simplified.

The remote maintenance of machines and plants is often designed such that it is very complex and time-consuming, and there is also the demand for a targeted and safeguarded functional connection to the associated IT systems. For many users, these two issues make the connection of plants around the world a major obstacle.

u-link guarantees quick and secure access to machines and plants, which makes remote maintenance easier while also allowing for the efficient management of production plants and user clients. The intuitive u-link interfaces are quick and easy both to configure and to adapt to specific processes. The innovative service on safeguarded servers in Germany also provides an online platform that ensures conformity between different IT systems when carrying out remote maintenance.

## Easier plant access with security

u-link is the perfect remote-maintenance solution for OEMs and plant operators. You can maintain a very productive system, even without having any in-depth IT expertise. Quick, secure and simple.

### Customised system management

u-link can be used to manage users, groups and their access rights based on individual requirements, such as a group assignment or access rights for production plants.

### Reduced configuration effort

Thanks to the intuitive interfaces, routers and clients can easily be connected without the need for any in-depth IT expertise, which allows for the quick linking of multiple machines to the cloud service.

### Secure remote maintenance and remote diagnostics

Machines and plants can be accessed remotely via a secure VPN connection, regardless of where they are in the world. The high level of availability of the servers based in Germany means that you have secure access to your production facilities at all times.

### Status monitoring and status reports

With Weidmüller Heartbeat, router availability can be reported to u-link, allowing for status monitoring and reporting of the installed router.

### Test u-link

Sign up at [www.u-link.weidmueller.com](http://www.u-link.weidmueller.com)

### Full system integrity

Our Industrial Ethernet routers are a really simple way of guaranteeing the full system integrity of your remote-maintenance solution.

## Innovative products for industrial automation



Weidmüller 