



Keep Your Electrical Equipment Dry and Clean with

wetguard®

Watertight Wiring Devices

Provided By
LEVITON®



Why WetGuard®?

Leviton's Wetguard products are the most versatile and well-engineered watertight wiring devices on the market.

The Wetguard line consists of a comprehensive array of plugs, connectors, inlets, outlets, covers and rugged FD boxes that allow mounting of single-gang devices in multi-gang configurations.

Watertight Electrical Connections

Wetguard devices are designed for industrial applications where electrical connections are exposed to wet locations such as outdoor weather or indoor washdown. They have IEC and NEMA watertight and dust-tight enclosure ratings and offer many significant advantages over competitive brands. A patented multi-point sealing system forms an impenetrable barrier against dirt and moisture providing the ultimate protection that you should expect from a watertight device.

Corrosion-Resistant

Wetguard devices feature corrosion-resistant electroless nickel-coated brass blades, contacts, terminal screws and wiring clamps, and stainless steel assembly screws, making them ideal for use in wet and corrosive environments.

Withstands Abuse in Harsh Environments

Wetguard devices are resistant to water, acids, alkalies, and many automotive and industrial lubricants and solvents. The plug and connector husk is molded to a bondable nylon body, providing a device that withstands physical abuse as well. In addition, the patented compression nut strain relief system ensures the integrity of the electrical connection and watertight seal.

These environments include, but are not limited to:

- Agriculture
- Construction
- Water Treatment Facilities
- Food & Beverage Processing



WetGuard® Product Features



Item No. 14W47-B



Item No. 8215-CAT



Item No. 8215-C

Plugs

- NEMA configuration number and/or rating molded onto device face
- Exclusive “tongue and groove” design provides superior ingress protection from water, dirt and debris
- Non-magnetic stainless steel body assembly screws
- Extra large, deep wiring wells for quick, easy insertion of stranded conductors
- Deep-fluted finger grips for a firm grip when tightening nut



Item No. 4729-C



Item No. 5259-VB



Item No. CS8364C

Connectors

- Clear back cover on wiring module for easy inspection of wired terminals
- Heavy-duty, one-piece contacts for maximum conductivity electrical performance
- Husk is molded to bondable nylon body to maximize sealing capability
- High-performance elastomer parts resist water and most acids, alkalies, grease, oil, and solvents. Offers UV stability and resists fungal growth
- Triple drive screws (Phillips, Slotted and Robertson) facilitate proper tightening
- Electroless nickel-coated brass blades, contacts, wiring screws and wiring clamps resist corrosion
- Innovative strain relief system and compression nut provide a watertight seal and prevent cord slippage for multiple cord diameters



Item No. COVER-S

Single-Gang Switch Covers

- Impact and chemical resistant Valox® PBT cover and handle provide extended life in abusive environments
- Integrated lockout handle meets OSHA safety regulations
- Stainless steel mounting and assembly screws provide excellent corrosion resistance; triple-drive head facilitates proper tightening



Item No. FDBX1-Y

Non-Metallic FD Boxes

- Constructed of a PVC, making them durable and resistant to impact, chemicals, solvents and other harsh industrial conditions
- They are available in yellow and gray one-, two- and three-gang unthreaded configurations
- 1" diameter unthreaded conduit openings, and include reducers for 3/4" and 1/2" PVC conduit.
- Include plugs for unused openings
- External flange with mounting holes makes them excellent for wall mounting
- Stainless steel assembly screws provide excellent corrosion resistance
- Watertight and dust-tight seal between frame and box
- Stainless steel device mounting plates facilitate mounting of single receptacles and toggle switches with an 8-inch long, 12 AWG ground



Item No. 4716-CWP

Flanged Inlet/Outlets

- Dual-hasp provides additional lockout/tagout option for added security
- Spring-loaded flip lid cover ensures a watertight seal when the cover is closed
- Impact and chemical resistant Valox® PBT cover and lid provide extended life in abusive environments
- Electroless nickel-coated brass blades, contacts, wiring screws and wiring clamps resist corrosion
- Stainless steel mounting and assembly screws provide corrosion resistance; triple drive head facilitates proper tightening

Click [here](#) to be redirected to **LEVITON.**



What's in Stock?

Plugs



Item No. 5266-C



Item No. 14W47-B



Item No. 6031-Y



Item No. 830-T

Item No.	Item Description
14W47-B	BLACK WETGUARD STRAIGHT BLADE PLUG 15A125V
4570-C	BLACK PLUG LOCKING 2POLE 3WIRE L6-15P 15A250V
4720-C	BLACK PLUG LOCKING 2POLE 3WIRE L5-15P 15A125V
5256-VA	YELLOW PYTHON PLUG ANGLE 2POLE 3WIRE 5-15P 15A125V
5256-VB	BLACK PYTHON PLUG 2POLE 3WIRE 5-15P 15A125V
5256-VY	YELLOW PYTHON PLUG 2POLE 3WIRE 5-15P 15A125V
5266-C	BLACK PLUG 2POLE 3WIRE 5-15P 15A125V
5266-CA	BLACK PLUG ANGLE 2POLE 3WIRE 5-15P 15A125V
5366-C	BLACK PLUG 2POLE 3WIRE 5-20P 20A125V
5466-C	BLACK PLUG 2POLE 3WIRE 6-20P 20A250V
5666-C	BLACK PLUG 2POLE 3WIRE 6-15P 15A250V
6031-Y	YELLOW BOOT 3WIRE FOR 20/30AMP LOCKING PLUGS
6033-Y	YELLOW BOOT 4/5WIRE FOR 20/30AMP LOCKING PLUGS
8215-C	BLACK PLUG HOSPITAL GRADE 2POLE 3WIRE 5-15P WITH SCREWS 15A125V
8215-CAT	CLEAR PLUG ANGLE HOSPITAL GRADE 2POLE 3WIRE 5-15P 15A125V
8256-V	WHITE PYTHON PLUG HOSPITAL GRADE 2POLE 3WIRE 5-15P 15A125V
830-T	BLACK PLUG ANGLE 2POLE 3WIRE 30A125V FOR ED ONLY
8356-V	WHITE PYTHON PLUG HOSPITAL GRADE 2POLE 3WIRE 5-20P 20A125V
8452-P	BLACK PLUG ANGLE 3POLE 4WIRE 15-50P 50A250V
8462-P	BLACK PLUG ANGLE 3POLE 4WIRE 15-60P 60A250V
9432-P	BLACK PLUG ANGLE 2POLE 4WIRE 14-30P 30A125/250V
9452-P	BLACK PLUG ANGLE 3POLE 4WIRE 14-50P 50A125/250V
9462-P	BLACK PLUG ANGLE 3POLE 4WIRE 14-60P 60A125/250V
9530-P	BLACK PLUG ANGLE 2POLE 3WIRE 5-30P 30A125V
9630-P	BLACK PLUG ANGLE 2POLE 3WIRE 6-30P 30A250V
9650-P	BLACK PLUG ANGLE 2POLE 3WIRE 6-50P 50A250V
CS6365C	BLACK PLUG LOCKING 3POLE 4WIRE NON-NEMA 50A125/250V
CS8265C	BLACK PLUG LOCKING 2POLE 3WIRE NON-NEMA 50A250V
CS8365C	BLACK PLUG LOCKING 3POLE 4WIRE 3PHASE NON-NEMA 50A250V



Item No. 5269-C



Item No. 47CM-29C



Item No. 8259-V

Connectors

Item No.	Item Description
5269-C	BLACK CONNECTOR 2POLE 3WIRE 5-15R WITH SCREWS 15A125V
5369-C	BLACK CONNECTOR 2POLE 3WIRE 5-20R 20A125V
5669-C	BLACK CONNECTOR 2POLE 3WIRE 6-15R WITH SCREWS 15A250V
5469-C	BLACK CONNECTOR 2POLE 3WIRE 6-20R 20A250V
4729-C	BLACK CONNECTOR LOCKING 2POLE 3WIRE L5-15R 15A125V
4579-C	BLACK CONNECTOR LOCKING 2POLE 3WIRE L6-15R 15A250V
C2623	BLACK CONNECTOR LOCKING 2POLE 3WIRE L6-30R 30A250V
CS8364C	BLACK CONNECTOR LOCKING 3POLE 4WIRE 3PHASE NON-NEMA 50A250V
CS6364C	BLACK CONNECTOR LOCKING 3POLE 4WIRE NON-NEMA 50A125/250V
5259-VB	BLACK PYTHON CONNECTOR 2POLE 3WIRE 5-15R 15A125V
15W33	YELLOW WETGUARD CONNECTOR 2POLE 3WIRE 5-20R 20A125V
15W47-B	BLACK WETGUARD CONNECTOR 2POLE 3WIRE 5-15R 15A125V
8259-V	WHITE PYTHON CONNECTOR HOSPITAL GRADE 2POLE 3WIRE 5-15R 15A125V
8359-V	WHITE PYTHON CONNECTOR HOSPITAL GRADE 2POLE 3WIRE 5-20R 20A125V
6034-Y	YELLOW BOOT 4/5WIRE FOR 20/30AMP LOCKING CONNECTOR
47CM-29C	YELLOW CONNECTOR LOCKING CORROSION RESISTANT 2POLE 3WIRE L5-15R 15A125V
5259-VY	YELLOW PYTHON CONNECTOR 2POLE 3WIRE 5-15R 15A125V

Single-Gang Switch Covers



Item No. COVER-S

Item No.	Item Description
COVER-S	YELLOW WETGUARD 1GANG SWITCH COVER FOR ALL 15/40A



Item No. FDBX1-Y

Non-Metallic FD Boxes

Item No.	Item Description
FDBX1-Y	YELLOW WETGUARD PVC SINGLE GANG FD BOX

Flanged Inlet/Outlets



Item No. 5279-C

Item No.	Item Description
37820-KIT	GRAY GENERATOR KIT INLET 20A125/250V
37830-KIT	GRAY GENERATOR KIT INLET 30A125/250V
4716-CWP	GRAY OUTLET FLANGED WEATHER RESISTANT 2POLE 3WIRE 15A125V
5278-C	WHITE INLET FLANGED 2POLE 3WIRE 5-15P 15A125V
5279-C	WHITE OUTLET FLANGED 2POLE 3WIRE 5-15R 15A125V



Item No. 7788-CR



Item No. CS8269

Receptacles

Item No.	Item Description
CS8269	BLACK RECEPTACLE LOCKING 2POLE 3WIRE NON-NEMA 50A250V
CS8369	BLACK RECEPTACLE LOCKING 3POLE 4WIRE 3PHASE NON-NEMA 50A250V
CS6369	BLACK RECEPTACLE LOCKING 3POLE 4WIRE NON-NEMA 50A125/250V
4550	BLACK RECEPTACLE LOCKING DUPLEX 2POLE 3WIRE L6-15 15A250V
4710-IG	ORANGE RECEPTACLE LOCKING SINGLE 2POLE 3WIRE L5-15 ISOLATED GROUND 15A125V
26CM-10	YELLOW CORR RESIST RECEPTACLE 2POLE 3WIRE L5-30 30A125V
7788-CR	YELLOW FLIP LID CORROSION RESISTANT FOR NON-NEMA RECEPTACLE
23CM-10	YELLOW RECEPTACLE LOCKING 2POLE 3WIRE NEMA L5-20 20A125V