


## Service Masts

### Service Entrance Masts and Accessories



Fittings for old style 2-3/4 in. outside diameter service masts.


## Service Masts

### Service Entrance Masts and Accessories

| Reference No. | Cat. No. | lb./kg 100 pcs | Std. Pkg. | Description                                                                                              |
|---------------|----------|----------------|-----------|----------------------------------------------------------------------------------------------------------|
| 1             | MM104    | 105/47.1       | 20        | 1-1/4 in. Entrance cap 100 A                                                                             |
|               | MM105    | 130/59         | 10        | 1-1/2 in. Entrance cap 150–200 A                                                                         |
|               | MM202    | 200/90         |           | 2 in. Entrance cap 200 A                                                                                 |
| 2             | MM380    | 50/22.7        | 50        | Guy attachment c/w oval eye                                                                              |
|               | MM380A   |                |           | Guy attachment without oval eye complete with bracket                                                    |
| 3             | MM101    | 125/56         | 20        | Light duty spool rack 100 A                                                                              |
|               | MM5101   | 164/74         |           | Light duty spool rack (Alberta only) 100 A                                                               |
|               | MM201    | 300/136        | 10        | Heavy duty spool rack 200 A                                                                              |
|               | MM801    | 360/163        | 10        | Heavy duty spool rack 400 A, fits 3 in. and 4 in. Rigid conduit                                          |
| 4             | MM390    | 50/22.7        | 50        | Drop wire hook bracket                                                                                   |
| 5             | MM300    | 100/45.4       | 20        | Service mast wire holder                                                                                 |
| 6             | MM500    | 14/6.3         | 50        | Neoprene collar only                                                                                     |
|               | MM501    | 36/16.3        |           | Steel collar only                                                                                        |
| 7             | MM502    | 150/68         | 10        | Roof base flange only                                                                                    |
| 8             | MM503    | 180/81         |           | Roof flange C/W steel collar                                                                             |
|               | MM505N   | 140/63         |           | Roof flange C/W neoprene collar                                                                          |
|               | MM5505N  | 140/63         |           | Roof flange C/W neoprene collar 1-1/4 in.                                                                |
| 9             | MM250    | 125/56         | 20        | 1/2 in. dia. «U» bolt mast clamp                                                                         |
| 10            | MM251    | 40/18.1        | 50        | Pipe strap C/W two 3/8 in. x 4 in. lag screws                                                            |
|               | MM255    | 40/18.1        |           | Pipe strap C/W two 3/8 in. x 5 in. lag screws                                                            |
|               | MM252    | 30/13.6        |           | Pipe strap only less lag screws                                                                          |
| 11            | MM400    | 225/102        | 20        | Support clamp C/W 5/8 in. x 10 in. fully threaded bolt and 4 in. x 4 in. square washer                   |
|               | MM401    | 110/50         |           | Clamp only less bolt and washer                                                                          |
|               | MM445    | 215/97         |           | Support clamp C/W 5/8 in. x 4-1/2 in. fully threaded bolt and 4 in. x 4 in. square washer                |
|               | MM5400   |                |           | Support clamp C/W 1/2 in. x 10 in. bolt                                                                  |
| 12            | MM8      | 2800/1272      | 50        | 8 ft. x 2-1/2 in. outside diameter mast                                                                  |
|               | MM9CM    | 3300/1500      |           | 9 ft. x 2-1/2 in. outside diameter mast                                                                  |
|               | MM10     | 3500/1590      |           | 10 ft. x 2-1/2 in. outside diameter mast                                                                 |
|               | MM12     | 4200/1909      |           | 12 ft. x 2-1/2 in. outside diameter mast                                                                 |
| 13            | MM600    | 235/106        | 20        | Meter spacer complete with pipe strap; 5/8 in. x 4-1/2 in. carriage bolt and 4 in. x 4 in. square washer |
|               | MM601    | 190/86         |           | Same as above except no pipe strap                                                                       |
|               | MM602    | 150/68         |           | Spacer only (less strap, bolt and washer) (suggested for brick applications with MM201 less pipe strap)  |
|               | MM602LD  | 119/54         |           | Light duty spacer only (less strap, bolt and washer)                                                     |
|               | MM603    | 200/90         |           | Spacer with pipe strap (less bolt and washer)                                                            |
| 14            | MM100    | 36/16.3        | 25        | 1 in. Female reducer                                                                                     |
|               | MM140    | 44/20          |           | 1-1/4 in. Female reducer                                                                                 |
|               | MM140M   |                |           | 1-1/4 in. Male reducer                                                                                   |
|               | MM150    |                |           | 1-1/2 in. Female reducer                                                                                 |
|               | MM150M   |                |           | 1-1/2 in. Male reducer                                                                                   |
|               | MM200    |                |           | 2 in. Female reducer                                                                                     |
|               | MM200M   |                |           | 2 in. Male reducer                                                                                       |
| 15            | MH200    | 40/18          | 1         | 2 in. Mast adaptor                                                                                       |
|               | MH40     | 103/46.82      | 10        | 4 in. Mast coupler                                                                                       |
| 16            | MM506N   | 52/23.6        | 10        | Simple all neoprene roof flange, 200 A, for 2-1/2 in. masts                                              |
| 17            | MM806N   | 100/45         |           | Simple all neoprene roof flange, 400 A, for 4 in. masts                                                  |
| 18            | MM507DN  | 93/42.3        |           | Double all neoprene roof flange; for 2-1/2 in. masts                                                     |
| 19            | MM604    | 150/68         |           | Meter socket bracket (Dimensions see page D52)                                                           |
| 20            | MM605    | 50/22.7        | 25        | Meter socket mounting bracket (Dimensions see page D52)                                                  |
| 21            | MM700    | 85/38.6        | 50        | Service mast ground clamp, wire range: 8-1/0 AWG                                                         |
| 22            | MM202P   | 200/90         | 10        | 2 in. entrance cap for old style 2-3/4 in. service masts                                                 |
|               | CIEFA-4  | 590/268        | 1         | 4 in. entrance head                                                                                      |
| 23            | MM200P   | 44/20          | 20        | 2 in. female reducer for old style 2-3/4 in. service masts                                               |
| 24            | MC250    | 45/21          | 30        | 2-1/2 in. one-piece coupler (check the installation standards in your region before using the product)   |

Service Masts

Guy Kits for 2-1/2 in. Masts



| Cat. No.         | Qty. | Consists of | Description                            |
|------------------|------|-------------|----------------------------------------|
| 1/4 in. Guy Kit  |      |             |                                        |
| MM914            | 1    | MM380       | Mast Guy Attachment                    |
|                  | 2    | GT516       | Guy Thimbles                           |
|                  | 1    | GE14        | Guy End                                |
|                  |      | GW14110     | 20 ft. of 1/4 in. Guy Wire             |
|                  |      | GC902       | Guy Clamp                              |
|                  |      | RB404       | Roof Bracket                           |
|                  |      | T404-CM     | Lag Screw                              |
| 5/16 in. Guy Kit |      |             |                                        |
| MM9516           | 1    | MM380       | Mast Guy Attachment                    |
|                  |      | GT516       | Guy Thimble                            |
|                  |      | GE516       | Guy End                                |
|                  |      | GW516110    | 20 ft. of 5/16 in. Guy Wire            |
|                  |      | GC902       | Guy Clamp                              |
|                  |      | BTE512      | 5/8 in. x 12 in. Bent Thimble Eye Bolt |
|                  |      | RA725       | Round Washer                           |

## Service Masts

### Mast Kits Suitable for British Columbia

| Cat. No.    | Qty. | Consists of | Description                |
|-------------|------|-------------|----------------------------|
| KIT-100BCMh | 1    | MM104       | Entrance Cap               |
|             |      | MM101       | Light Duty Rack            |
|             |      | MM505N      | Flange c/w Neoprene Collar |
|             | 3    | MM250       | “U” Bolt Clamp             |
| KIT-100BCMn | 1    | MH200       | Mast Coupler               |
|             |      | MM104       | Entrance Cap               |
|             |      | MM101       | Light Duty Rack            |
|             |      | MM505N      | Flange c/w Neoprene Collar |
|             | 3    | MM250       | “U” Bolt Clamp             |
| MMK1-NMH    | 1    | MM140       | 1-1/4 in. Female Reducer   |
|             |      | MM104       | Entrance Cap               |
|             |      | MM101       | Light Duty Rack            |
|             |      | MM505N      | Flange c/w Neoprene Collar |
|             | 3    | MM400       | Support Clamp              |
| KIT-200BCMh | 1    | MH200       | Mast Coupler               |
|             |      | MM202       | Entrance Cap               |
|             |      | MM201       | Heavy Duty Rack            |
|             | 3    | MM505N      | Flange c/w Neoprene Collar |
| MMK2-NMH    | 1    | MM250       | “U” Bolt Clamp             |
|             |      | MH200       | Mast Coupler               |
|             |      | MM202       | Entrance Cap               |
|             | 3    | MM201       | Heavy Duty Rack            |
|             |      | MM505N      | Flange c/w Neoprene Collar |
|             | 1    | MM400       | Support Clamp              |
|             | 1    | MH200       | Mast Coupler               |

## Service Masts

### Mast Kits Suitable for Alberta




**KIT-1 1/4**



**KIT2-CM**



**KIT-2-AL**



**MB-110**

### KIT-1 1/4 – 100 A

| Cat. No.                                                          | Qty. | Consists of | Description                             |
|-------------------------------------------------------------------|------|-------------|-----------------------------------------|
| This mast kit is used in conjunction with 1-1/4 in. rigid conduit |      |             |                                         |
| <b>KIT-1 1/4</b>                                                  | 1    | MM5104A     | 1-1/4 in. Throat Entrance Cap           |
|                                                                   |      | MM5101      | Light Duty Spool Rack                   |
|                                                                   |      | MM5505N     | Roof Flange c/w Neoprene Collar         |
|                                                                   |      | MM5400      | Support Clamp c/w 1/2 in. x 10 in. Bolt |

### KIT2-CM – 100 A

| Cat. No.                                                      | Qty. | Consists of | Description                             |
|---------------------------------------------------------------|------|-------------|-----------------------------------------|
| This mast kit is used in conjunction with 2 in. rigid conduit |      |             |                                         |
| <b>KIT2-CM</b>                                                | 1    | MM5104B     | 2 in. Throat Entrance Cap               |
|                                                               |      | MM5101      | Light Duty Spool Rack                   |
|                                                               |      | MM505N      | Roof Flange c/w Neoprene Collar         |
|                                                               | 2    | MM5400      | Support Clamp c/w 1/2 in. x 10 in. Bolt |
|                                                               | 1    | MM5140      | 1-1/4 in. Bottom Female Reducer         |

### KIT-2-AL – 200 A

| Cat. No.        | Qty. | Consists of | Description                             |
|-----------------|------|-------------|-----------------------------------------|
| <b>KIT-2-AL</b> | 1    | MM202       | Entrance Cap                            |
|                 |      | MM5101      | Light Duty Spool Rack                   |
|                 |      | MM505N      | Roof Flange c/w Neoprene Collar         |
|                 | 2    | MM5400      | Support Clamp c/w 1/2 in. x 10 in. Bolt |
|                 | 1    | MM200M      | 2 in. Reducer                           |

### MB-110 – 100 A

| Cat. No.      | Qty. | Consists of | Description                                                             |
|---------------|------|-------------|-------------------------------------------------------------------------|
| <b>MB-110</b> | 1    | MM104       | 1-1/4 in. Entrance Cap                                                  |
|               |      | MM201       | Heavy Duty Spool Rack                                                   |
|               |      | MM505N      | Roof Flange c/w Neoprene Collar                                         |
|               | 3    | MM400       | Support Clamp c/w 5/8 in. x 10 in. Fully Threaded Bolt and 4 x 4 Washer |
|               | 1    | MM140       | 1-1/4 in. Female Reducer                                                |

## Service Masts

### Mast Kits Suitable for Manitoba and Saskatchewan

| Cat. No.   | Qty. | Consists of | Description                        |
|------------|------|-------------|------------------------------------|
| KIT-100MJ  | 1    | MM104       | Entrance Cap                       |
|            |      | MM140M      | 1-1/4 in. Reducer                  |
|            |      | MM101       | Light Duty Rack                    |
|            |      | MM505N      | Flange c/w Neoprene Collar         |
|            | 2    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolt |
|            | 1    | MM400       | Support Clamp                      |
| KIT-100MN  | 1    | MM104       | Entrance Cap                       |
|            |      | MM140M      | 1-1/4 in. Reducer                  |
|            |      | MM101       | Light Duty Rack                    |
|            |      | MM505N      | Flange c/w Neoprene Collar         |
|            | 3    | MM255       | Strap c/w 3/8 in. x 5 in. Lag Bolt |
| KIT-100MH  | 1    | MM104       | Entrance Cap                       |
|            |      | MM101       | Light Duty Rack                    |
|            |      | MM505N      | Flange c/w Neoprene Collar         |
|            | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolt |
|            | 1    | MH200       | Mast Coupler                       |
| KIT-200AM  | 1    | MM202       | Entrance Cap                       |
|            |      | MM201       | Heavy Duty Rack                    |
|            |      | MM200M      | 2 in. Male Reducer                 |
|            |      | MM505N      | Flange c/w Neoprene Collar         |
|            | 3    | MM255       | Strap c/w 3/8 in. x 5 in. Lag Bolt |
| KIT-200MH  | 1    | MM202       | Entrance Cap                       |
|            |      | MM201       | Heavy Duty Rack                    |
|            |      | MM505N      | Flange c/w Neoprene Collar         |
|            | 3    | MM255       | Strap c/w 3/8 in. x 5 in. Lag Bolt |
|            | 1    | MH200       | Mast Coupler                       |
| KIT-200MJ  | 1    | MM202       | Entrance Cap                       |
|            |      | MM200M      | 2 in. Male Reducer                 |
|            |      | MM201       | Heavy Duty Rack                    |
|            |      | MM505N      | Flange c/w Neoprene Collar         |
|            |      | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolt |
|            |      | MM400       | Support Clamp                      |
| KIT-200MNF | 1    | MM202       | Entrance Cap                       |
|            |      | MM201       | Heavy Duty Rack                    |
|            |      | MM200M      | 2 in. Male Reducer                 |
|            | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolt |
| MMK2-NMH   | 1    | MM202       | Entrance Cap                       |
|            |      | MM201       | Heavy Duty Rack                    |
|            |      | MM505N      | Flange c/w Neoprene Collar         |
|            | 3    | MM400       | Support Clamp                      |
|            | 1    | MH200       | Mast Coupler                       |

## Service Masts

Mast Kits Suitable for Ontario

| Cat. No.   | Qty. | Consists of | Description                         |
|------------|------|-------------|-------------------------------------|
| KIT-100HDM | 1    | MM104       | Entrance Cap                        |
|            |      | MM140M      | 1-1/4 in. Male Reducer              |
|            |      | MM201       | Heavy Duty Rack                     |
|            |      | MM503       | Flange c/w Steel Collar             |
|            | 3    | MM255       | Strap c/w 3/8 in. x 5 in. Lag Bolts |
| KIT-100MH  | 1    | MM104       | Entrance Cap                        |
|            |      | MM101       | Light Duty Rack                     |
|            |      | MM505N      | Flange c/w Neoprene Collar          |
|            | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolt  |
|            | 1    | MM200       | Female Reducer                      |
| KIT-100MN  | 1    | MM104       | Entrance Cap                        |
|            |      | MM140M      | 1-1/4 in. Male Reducer              |
|            |      | MM101       | Light Duty Rack                     |
|            |      | MM505N      | Flange c/w Neoprene Collar          |
|            | 3    | MM255       | Strap c/w 3/8 in. x 5 in. Lag Bolt  |
| KIT-100NMH | 1    | MM104       | Entrance Cap                        |
|            |      | MM101       | Light Duty Rack                     |
|            |      | MM505N      | Flange c/w Neoprene Collar          |
|            |      | MM400       | Support Clamp                       |
|            |      | MM200       | Female Reducer                      |
| MMK1       | 1    | MM104       | Entrance Cap                        |
|            |      | MM101       | Light Duty Rack                     |
|            |      | MM140M      | 1-1/4 in. Male Reducer              |
|            |      | MM503       | Flange c/w Steel Collar             |
|            | 3    | MM400       | Support Clamp                       |
| MMK-1N     | 1    | MM104       | Entrance Cap                        |
|            |      | MM101       | Light Duty Rack                     |
|            |      | MM505N      | Flange c/w Neoprene Collar          |
|            | 3    | MM400       | Support Clamp                       |
|            | 1    | MM140M      | 1-1/4 in. Male Reducer              |
| MMK1-NMH   | 1    | MM104       | Entrance Cap                        |
|            |      | MM101       | Light Duty Rack                     |
|            |      | MM505N      | Flange c/w Neoprene Collar          |
|            | 3    | MM400       | Support Clamp                       |
|            | 1    | MH200       | Mast Coupler                        |
| KIT-200MH  | 1    | MM202       | Entrance Cap                        |
|            |      | MM201       | Heavy Duty Rack                     |
|            |      | MM200M      | 2 in. Male Reducer                  |
|            |      | MM505N      | Flange c/w Neoprene Collar          |
|            | 3    | MM255       | Strap c/w 3/8 in. x 5 in. Lag Bolt  |
| KIT-200AM  | 1    | MM202       | Entrance Cap                        |
|            |      | MM201       | Heavy Duty Rack                     |
|            |      | MM505N      | Flange c/w Neoprene Collar          |
|            | 3    | MM255       | Strap c/w 3/8 in. x 5 in. Lag Bolt  |
|            | 1    | MH200       | Mast Coupler                        |

| Cat. No.   | Qty. | Consists of | Description                |
|------------|------|-------------|----------------------------|
| KIT-200NMH | 1    | MM202       | Entrance Cap               |
|            |      | MM201       | Heavy Duty Rack            |
|            |      | MM505N      | Flange c/w Neoprene Collar |
|            | 3    | MM400       | Support Clamp              |
|            | 1    | MM200       | Female Reducer             |
| MMK2       | 1    | MM202       | Entrance Cap               |
|            |      | MM201       | Heavy Duty Rack            |
|            |      | MM200M      | 2 in. Male Reducer         |
|            |      | MM503       | Flange c/w Steel Collar    |
|            | 3    | MM400       | Support Clamp              |
| MMK-2N     | 1    | MM202       | Entrance Cap               |
|            |      | MM201       | Heavy Duty Rack            |
|            |      | MM505N      | Flange c/w Neoprene Collar |
|            | 3    | MM400       | Support Clamp              |
|            | 1    | MM200M      | 2 in. Male Reducer         |
| MMK2-NMH   | 1    | MM202       | Entrance Cap               |
|            |      | MM201       | Heavy Duty Rack            |
|            |      | MM505N      | Flange c/w Neoprene Collar |
|            | 3    | MM400       | Support Clamp              |
|            | 1    | MH200       | Mast Coupler               |



## Service Masts

### Mast Kits Suitable for Quebec

| Cat. No.    | Qty. | Consists of | Description                         |
|-------------|------|-------------|-------------------------------------|
| KIT-100MN   | 1    | MM104       | Entrance Cap                        |
|             |      | MM140M      | 1-1/4 in. Male Reducer              |
|             |      | MM101       | Light Duty Rack                     |
|             |      | MM505N      | Flange c/w Neoprene Collar          |
|             | 3    | MM255       | Strap c/w 3/8 in. x 5 in. Lag Bolts |
| KIT-100MH   | 1    | MM104       | Entrance Cap                        |
|             |      | MM101       | Light Duty Rack                     |
|             |      | MM505N      | Flange c/w Neoprene Collar          |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
|             | 1    | MH200       | Mast Coupler                        |
| KIT-100MNF  | 1    | MM104       | Entrance Cap                        |
|             |      | MM140M      | 1-1/4 in. Male Reducer              |
|             |      | MM101       | Light Duty Rack                     |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
|             |      |             |                                     |
| KIT-150AM   | 1    | MM105       | 1-1/2 in. Entrance Cap              |
|             |      | MM201       | Heavy Duty Rack                     |
|             |      | MM505N      | Flange c/w Neoprene Collar          |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
|             | 1    | MM150M      | 1-1/2 in. Male Adaptor              |
| KIT-200AM   | 1    | MM202       | Entrance Cap                        |
|             |      | MM201       | Heavy Duty Rack                     |
|             |      | MM200M      | 2 in. Male Reducer                  |
|             |      | MM505N      | Flange c/w Neoprene Collar          |
|             | 3    | MM255       | Strap c/w 3/8 in. x 5 in. Lag Bolts |
| KIT-200AMGR | 1    | MM202       | Entrance Cap                        |
|             |      | MM201       | Heavy Duty Rack                     |
|             |      | MM200M      | 2 in. Male Reducer                  |
|             |      | MM505N      | Flange c/w Neoprene Collar          |
|             | 3    | MM255       | Strap c/w 3/8 in. x 5 in. Lag Bolts |
| KIT-200MH   | 1    | MM700       | Service Mast Ground Clamp           |
|             |      | MM202       | Entrance Cap                        |
|             |      | MM201       | Heavy Duty Rack                     |
|             |      | MM505N      | Flange c/w Neoprene Collar          |
|             | 3    | MM255       | Strap c/w 3/8 in. x 5 in. Lag Bolts |
| KIT-200MNF  | 1    | MH200       | Mast Coupler                        |
|             |      | MM202       | Entrance Cap                        |
|             |      | MM201       | Heavy Duty Rack                     |
|             |      | MM200M      | 2 in. Male Reducer                  |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |

| Cat. No.     | Qty. | Consists of | Description                         |
|--------------|------|-------------|-------------------------------------|
| KIT-100HDM   | 1    | MM104       | Entrance Cap                        |
|              |      | MM140M      | 1-1/4 in. Male Reducer              |
|              |      | MM201       | Heavy Duty Rack                     |
|              |      | MM503       | Flange c/w Steel Collar             |
|              | 3    | MM255       | Strap c/w 3/8 in. x 5 in. Lag Bolts |
| KIT-200-PVC  | 1    | SS401-E     | Spool Rack                          |
|              |      | E998J       | 2 in. Entrance Cap                  |
|              |      | E997JC      | 2 in. Strap                         |
|              | 3    | PH20        | 2 in. Hub PVC                       |
|              |      | E943J       | 2 in. Male Adaptor                  |
|              | 2    | CI1716      | 2 in. Locknut                       |
|              |      | E986J       | 2 in. LB Type                       |
| KIT-200AM-CP | 1    | CIDUCT1     | Duct Seal                           |
|              |      | UA9AJCB-UPC | 2 in. PVC Elbow                     |
|              |      | MM202       | 2 in. Entrance Cap                  |
|              |      | MM201       | Spool Rack                          |
|              | 3    | MM505N      | Floor Flange                        |
|              |      | MM200M      | 2 in. Male Reducer                  |
|              | 2    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
|              |      | E943J       | 2 in. Male Adaptor                  |
|              | 1    | CI1716      | 2 in. Locknut                       |
|              |      | E986J       | 2 in. Entrance Cap                  |
| KIT-200MH-CP | 1    | DUCT SEAL   | Duct Seal                           |
|              |      | UA9AJCB-UPC | 2 in. PVC Elbow                     |
|              |      | MM202       | 2 in. Entrance Cap                  |
|              |      | MM201       | Spool Rack                          |
|              | 3    | MM505N      | Roof Flange                         |
|              |      | MH200       | 2 in. Mast Coupler                  |
|              | 2    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
|              |      | E943J       | 2 in. Male Adaptor                  |
|              | 1    | CI1716      | 2 in. Locknut                       |
|              |      | E986J       | 2 in. Entrance Cap                  |



## Service Masts

### Mast Kits Suitable for Quebec and for all Regions

#### KIT-200-PVC – Quebec



| Cat. No.                                                          | Qty. | Consists of | Description        |
|-------------------------------------------------------------------|------|-------------|--------------------|
| This mast kit is used in conjunction with 1-1/4 in. rigid conduit |      |             |                    |
| KIT-200-PVC                                                       | 1    | SS401-E     | Spool Rack         |
|                                                                   |      | E998J       | 2 in. Entrance Cap |
|                                                                   | 3    | E997JC      | 2 in. Strap        |
|                                                                   | 1    | PH20        | 2 in. Hub PVC      |
|                                                                   | 2    | E943J       | 2 in. Male Adaptor |
|                                                                   |      | CI1716      | 2 in. Locknut      |
|                                                                   |      | E986J       | 2 in. LB Type      |
|                                                                   | 1    | CIDUCT1     | Duct Seal          |
|                                                                   |      | UA9AJCB-UPC | 2 in. PVC Elbow    |

#### KIT-200AM-CP – Quebec




| Cat. No.                                                      | Qty. | Consists of | Description                       |
|---------------------------------------------------------------|------|-------------|-----------------------------------|
| This mast kit is used in conjunction with 2 in. rigid conduit |      |             |                                   |
| KIT-200AM-CP                                                  | 1    | MM202       | 2 in. Entrance Cap                |
|                                                               |      | MM201       | Spool Rack                        |
|                                                               |      | MM505N      | Roof Flange                       |
|                                                               |      | MM200M      | 2 in. Male Reducer                |
|                                                               | 3    | MM251       | 2 in. Pipe Strap (c/w Lag Screws) |
|                                                               | 2    | E943J       | 2 in. Male Adaptor                |
|                                                               |      | CI1716      | 2 in. Locknut                     |
|                                                               |      | E986J       | 2 in. Entrance Cap                |
|                                                               | 1    | CIDUCT1     | Duct Seal                         |
|                                                               |      | UA9AJCB-UPC | 2 in. PVC Elbow                   |

#### KIT-200MH-CP – Quebec



| Cat. No.     | Qty. | Consists of | Description                                 |
|--------------|------|-------------|---------------------------------------------|
| KIT-200MH-CP | 1    | MM202       | 2 in. Entrance Cap                          |
|              | 1    | MM201       | Spool Rack                                  |
|              | 1    | MM505N      | Roof Flange                                 |
|              | 1    | MH200       | 2 in. Mast Coupler                          |
|              | 3    | MM251       | 2 in. Pipe Strap c/w Lag Screws 3/8 x 4 in. |
|              | 2    | E943J       | 2 in. Male Adaptor                          |
|              |      | CI1716      | 2 in. Locknut                               |
|              | 1    | E986J       | 2 in. Entrance Cap                          |
|              | 1    | CIDUCT1     | Duct Seal                                   |
|              | 1    | UA9AJCB-UPC | 2 in. PVC Elbow                             |

#### KIT-400MH – For all Regions



| Cat. No.                                                      | Qty. | Consists of | Description                               |
|---------------------------------------------------------------|------|-------------|-------------------------------------------|
| This mast kit is used in conjunction with 4 in. rigid conduit |      |             |                                           |
| KIT-400MH                                                     | 1    | CIEFA-4     | 4 in. Entrance Head                       |
|                                                               | 1    | MM801       | Heavy Duty Spool Rack                     |
|                                                               | 1    | MM806N      | Roof Flange                               |
|                                                               | 1    | MH40        | 4 in. Mast Coupler                        |
|                                                               | 3    | CI1532      | Pipe Strap c/w Lag Screws (6) 3/8 x 5 in. |

## Service Masts

Mast Kits Suitable for New Brunswick, Nova Scotia,  
Newfoundland and Prince Edward Island

### New Brunswick

| Cat. No.    | Qty. | Consists of | Description                         |
|-------------|------|-------------|-------------------------------------|
| KIT-100     | 1    | MM104       | Entrance Cap                        |
|             | 1    | MM140M      | 1-1/4 in. Male Reducer              |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
|             | 1    | MM505N      | Flange c/w Neoprene Collar          |
| KIT-100NBMH | 1    | MM104       | Entrance Cap                        |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
|             | 1    | MH200       | Mast Coupler                        |
|             | 1    | MM505N      | Flange c/w Neoprene Collar          |
| KIT-200     | 1    | MM202       | Entrance Cap                        |
|             | 1    | MM200M      | 2 in. Male Reducer                  |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
|             | 1    | MM505N      | Flange c/w Neoprene Collar          |
| KIT-200MH   | 1    | MM202       | Entrance Cap                        |
|             | 1    | MM201       | Heavy Duty Spool Rack               |
|             | 1    | MH200       | Mast Coupler                        |
|             | 3    | MM255       | Strap c/w 3/8 in. x 5 in. Lag Bolts |
| KIT-206NBMH | 1    | MM505N      | Flange c/w Neoprene Collar          |
|             | 1    | MM202       | Entrance Cap                        |
|             | 1    | MH200       | Mast Coupler                        |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
| KIT-200NBMH | 1    | MM506N      | All Neoprene Roof Flange            |
|             | 1    | MM202       | Entrance Cap                        |
|             | 1    | MH200       | Mast Coupler                        |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
| KIT-106NBMH | 1    | MM505N      | Flange c/w Neoprene Collar          |
|             | 1    | MM104       | Entrance Cap                        |
|             | 1    | MM506N      | All Neoprene Roof Flange            |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
|             | 1    | MH200       | Mast Coupler                        |

### Newfoundland

| Cat. No.    | Qty. | Consists of | Description                         |
|-------------|------|-------------|-------------------------------------|
| KIT-100MH   | 1    | MH200       | Mast Coupler                        |
|             | 1    | MM104       | Entrance Cap                        |
|             | 1    | MM101       | Light Duty Spool Rack               |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
| KIT-100NBMH | 1    | MM505N      | Flange c/w Neoprene Collar          |
|             | 1    | MM104       | Entrance Cap                        |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
|             | 1    | MH200       | Mast Coupler                        |
| KIT-205LDMH | 1    | MM505N      | Flange c/w Neoprene Collar          |
|             | 1    | MM202       | Entrance Cap                        |
|             | 1    | MM101       | Light Duty Spool Rack               |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
|             | 1    | MH200       | Mast Coupler                        |

### Nova Scotia

| Cat. No.    | Qty. | Consists of | Description                         |
|-------------|------|-------------|-------------------------------------|
| KIT-100MN   | 1    | MM104       | Entrance Cap                        |
|             | 1    | MM140M      | 1-1/4 in. Male Reducer              |
|             | 1    | MM101       | Light Duty Spool Rack               |
|             | 3    | MM255       | Strap c/w 3/8 in. x 5 in. Lag Bolts |
| KIT-100     | 1    | MM505N      | Flange c/w Neoprene Collar          |
|             | 1    | MM104       | Entrance Cap                        |
|             | 1    | MM140M      | 1-1/4 in. Male Reducer              |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
| KIT-100NSMH | 1    | MM505N      | Flange c/w Neoprene Collar          |
|             | 1    | MM104       | Entrance Cap                        |
|             | 4    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
|             | 1    | MM505N      | Flange c/w Neoprene Collar          |
| KIT-200AM   | 1    | MH200       | Mast Coupler                        |
|             | 1    | MM202       | Entrance Cap                        |
|             | 1    | MM201       | Heavy Duty Spool Rack               |
|             | 3    | MM255       | Strap c/w 3/8 in. x 5 in. Lag Bolts |
| KIT-200     | 1    | MM200M      | 2 in. Male Reducer                  |
|             | 1    | MM505N      | Flange c/w Neoprene Collar          |
|             | 1    | MM202       | Entrance Cap                        |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
| KIT-200NSMH | 1    | MM505N      | Flange c/w Neoprene Collar          |
|             | 1    | MM202       | Entrance Cap                        |
|             | 1    | MH200       | Mast Coupler                        |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
|             | 1    | MM505N      | Flange c/w Neoprene Collar          |

### Prince Edward Island

| Cat. No.    | Qty. | Consists of | Description                         |
|-------------|------|-------------|-------------------------------------|
| KIT-100MH   | 1    | MM104       | Entrance Cap                        |
|             | 1    | MM101       | Light Duty Spool Rack               |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
|             | 1    | MM505N      | Flange c/w Neoprene Collar          |
| KIT-106NBMH | 1    | MH200       | Mast Coupler                        |
|             | 1    | MM104       | Entrance Cap                        |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
|             | 1    | MH200       | Mast Coupler                        |
| KIT-200MH   | 1    | MM506N      | All Neoprene Roof Flange            |
|             | 1    | MM202       | Entrance Cap                        |
|             | 1    | MM201       | Heavy Duty Spool Rack               |
|             | 1    | MH200       | Mast Coupler                        |
| KIT-200NBMH | 3    | MM255       | Strap c/w 3/8 in. x 5 in. Lag Bolts |
|             | 1    | MM505N      | Flange c/w Neoprene Collar          |
|             | 1    | MM202       | Entrance Cap                        |
|             | 1    | MH200       | Mast Coupler                        |
| KIT-206NBMH | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
|             | 1    | MM505N      | Flange c/w Neoprene Collar          |
|             | 1    | MM202       | Entrance Cap                        |
|             | 1    | MH200       | Mast Coupler                        |
|             | 3    | MM251       | Strap c/w 3/8 in. x 4 in. Lag Bolts |
|             | 1    | MM506N      | All Neoprene Roof Flange            |